



## 1993 Pierce Dash Rescue Pumper

- 76,480 Miles
- 4 man cab
- 3 SCBA Seats
- Air conditioning
- 300HP 8.3L Cummins
- 2,451 engine hours
- Allison transmission
- 16,540# Front axle rating
- 16,440# Rear axle rating
- 315 80R22.5 Front tires in very good condition
- 12R22.5 Rear tires in very good condition
- Aluminum wheels
- 4 Headsets in cab
- Q2b Siren
- Air horn in bumper
- 1250 GPM Waterous pump (Current pump test)
- 6" Front suction
- (2) 1 1/2" Preconnects
- (1) Left, (1) Right, (2) Rear 2 1/2" Discharges
- 4" Right discharges
- Elkhart Python deck gun
- 750 gallon Poly tank
- 2 1/2" Tank Fill
- 35' & 14' Ladders
- 7.5KW Onan Diesel generator
- (1) Cord reel
- Command light tower CL609-FRC (6)900 watt heads
- Whelen LED light package
- Whelen LED 12 volt brow scene light

\*See attached list of equipment to



To View More Photos, technical specs, and more visit [www.firetruckresource.com](http://www.firetruckresource.com)



## Equipment to stay with the truck

### **CAB**

- Spot Light
- Portable radios (4)
- Passport tags (2)
- Safety Vests (4)
- T.I.C. w/ spare battery
- SCBA's (3)
- Officer's tool
- Headsets (4)

### **EMS Compartment**

- Utility Rope Bag
- 200' life safety rope
- Mustang Suit
- Gas Tracker/case(When front line)
- AED(When Front line)
- Water Rescue Bag -PFD's(3),Throw Bags(2)

### **OUTSIDE**

- Pike Poles/Hooks (7)
- 35' extension ladder
- 16' roof ladder
- 10' attic ladder
- 6' hard suction w/ low level strainer
- Deck Gun Tips
- Light Tower/generator
- 10' Pike Pole(1)
- 6' Pike Pole(5)

### **ENGINEER'S COMPARTMENT**

- 2 ½" to 1 ½" gated wye
- 2 ½" cellar nozzle
- 150gpm/50psi fog nozzle
- 2 1/8" smoothbore nozzle
- 2 ½" to garden hose adapter, 6' Garden Hose, Nozzle
- 2 ½" double female (2)
- 2 ½" to 1 ½" reducer (2)
- 1 ½" double male (2)
- 2 ½" double male (2)
- 1 ½" double female
- 5" stortz to 4 ½" female
- 4 ½" female to 4 ½" male
- 5" stortz to 6" male
- Hose Clamp
- MasterStream Fog

- 6" female to 5" male
- 5" stortz to 2 ½" female (ON 5")
- 6" female to 4 ½" female
- Small spanner wrenches (4)
- Large spanner wrenches (4)
- Rubber Mallet
- Hydrant wrenches (2)
- Foam Wrench
- Hose Roller
- Caution/Fire-line Tape (2)
- SCBA
- Foam Eductor
- 3" 50'
- Fusees (4)
- Tow Strap
- Toolbox

#### **DRIVER'S SIDE MIDDLE COMPARTMENT**

- K-950
- Chainsaw
- Spare blades (K-950)
- Tru-fuel

#### **DRIVER'S SIDE REAR COMPARTMENT**

- High Rise Kit
- 50' 2 ½" with reducer
- 50' 2 ½"
- 50' of 1 ¾" with LP fog
- K-tool
- Pick head axes (2)
- Bolt cutters
- Set of Irons
- Straight gas can
- Hydrant Bag
- PPV Fan

#### **HYDRANT BAG**

- Hydrant wrench
- Small Spanner wrench (2)
- Large spanner wrench (2)
- 2 ½" gate valve
- 5" stortz to 4 ½" threaded female
- 2 ½" double female
- 2 ½" double male
- Rubber Mallet

#### **REAR COMPARTMENT**

- 2x4 Cribbing (32)

- 6x6 Cribbing (5)
- Step Chocks
- 4x4 Cribbing (22)
- Wedges (10)

#### **OFFICER'S EXTRICATION COMPARTMENT**

- Sawz-all
- Fire Blanket
- Struts
- Crash Kit
- Set of Irons
- 30' spare hydraulic hose
- Genesis Pump
- Combi-tool
- Hydro-break
- 30' Hydraulic hoses with hot connectors (2)

#### **OFFICER'S SIDE MIDDLE COMPARTMENTS**

- 100' Electrical cord reel
- Extension Cord
- Electrical disconnect box
- Electrical adapters
- 200' cord reel
- Halogen lights (2)

#### **OFFICER'S SIDE REAR COMPARTMENT**

- Black Rhino ladder
- Flat Shovel
- Spade Shovel
- Brush Brooms (2)
- Tarps (5)
- Ratchet Straps (2)
- Smoke ejector w/hanger
- 10 lb dry chem
- 2.5 gal press. Water
- Honda Light

#### **HOSE**

- 200' of 1 ¾" crosslay w/ low pressure nozzle (2)
- 25' of 5"
- 250' of 2 ½" w. blitz fire
- 600' of 2 ½" w/ spindown to 100' of 1 ¾" w/ low pressure fog